



#### MAN TGE Panel van Standard with Normal roof

### MAN TGE Panel van Standard with High roof





Load capacity [m³]	9.92
Lateral sliding door, width x height [mm]	1,311 x 1,587 <sup>3</sup>
Rear hinged doors, clear width x height [mm]	1,552 x 1,605 <sup>4</sup>
Load deck height at rear [mm]	570 <sup>5</sup> (720)
Clearance circle [m]	13.9-14.2


Load capacity [m³]	11.3 <sup>2</sup>
Lateral sliding door, width x height [mm]	1,311 x1,822³
Rear hinged doors, clear width x height [mm]	1,552 x 1,840 <sup>4</sup>
Load deck height at rear [mm]	570 <sup>5</sup> (720)
Clearance circle [m]	13.9-14.2


Figures for  $4\times4$  and rear-wheel drive with standard roof:  $1,626^1/9.3^2/1,487^3/1,505^4/670^5$ . Figures for  $4\times4$  and rear-wheel drive with high roof:  $1,861^1/10.7^2/1,722^3/1,740^4/670^5$ . Figures in brackets: with twin tyres.

All dimensions were measured on series-production vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale. \*Length of the vehicle floor including loading option below the partition. Length in the top area: 3,201 mm.

### MAN TGE Panel van Long with High roof

### MAN TGE Panel van Long with Super-high roof





Load capacity [m³]	14.42
Lateral sliding door, width x height [mm]	1,311 x 1,822³
Rear hinged doors, clear width x height [mm]	1,552 x 1,840 <sup>4</sup>
Load deck height at rear [mm]	570⁵ (720)
Clearance circle [m]	16.5-17.0


Load capacity [m³]	16.12
Lateral sliding door, width x height [mm]	1,311 x1,822³
Rear hinged doors, clear width x height [mm]	1,552 x 1,840 <sup>4</sup>
Load deck height at rear [mm]	570 <sup>5</sup> (720)
Clearance circle [m]	16.5-17.0


Figures for  $4\times4$  and rear-wheel drive with high roof:  $1,861^1/13.6^2/1,722^3/1,740^4/670^5$ . Figures for  $4\times4$  and rear-wheel drive with super-high roof:  $2,089^1/15.3^2/1,722^3/1,740^4/670^5$ . Figures in brackets: with twin tyres.

All dimensions were measured on series-production vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale. \*Length of the vehicle floor including loading option below the partition. Length in the top area: 4,051 mm.

### MAN TGE Panel van Extra-long with High roof

### MAN TGE Panel van Extra-long with Super-high roof





Load capacity [m³]	16.42
Lateral sliding door, width x height [mm]	1,311 x 1,822 <sup>3</sup>
Rear hinged doors, clear width x height [mm]	1,552 x 1,840 <sup>4</sup>
Load deck height at rear [mm]	570 <sup>5</sup> (725)
Clearance circle [m]	16.5-17.0


Load capacity [m³]	18.4 <sup>2</sup>
Lateral sliding door, width x height [mm]	1,311 x1,822³
Rear hinged doors, clear width x height [mm]	1,552 x 1,840 <sup>4</sup>
Load deck height at rear [mm]	570⁵ (725)
Clearance circle [m]	16.5-17.0


Figures for  $4\times4$  and rear-wheel drive with high roof:  $1,861^1/15.5^2/1,722^3/1,740^4/670^5$ . Figures for  $4\times4$  and rear-wheel drive with super-high roof:  $2,096^1/17.5^2/1,722^3/1,740^4/670^5$ . Figures in brackets: with twin tyres.

All dimensions were measured on series-production vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale. \*Length of the vehicle floor including loading option below the partition. Length in the top area: 4,606 mm.

### MAN TGE Kombi Standard with Normal roof

## MAN TGE Kombi Standard with High roof






Lateral sliding door, width x height [mm]	1,311×1,487
Rear hinged doors, clear width x height [mm]	1,552×1,505
Max. number of seats	8 + 1
Clearance circle [m]	13.9

Lateral sliding door, width x height [mm]	1,311 x 1,722
Rear hinged doors, clear width x height [mm]	1,552 x 1,740
Max. number of seats	8 + 1
Clearance circle [m]	13.9


## MAN TGE Kombi Long with High roof




Lateral sliding door, width x height [mm]	1,311x1,722
Rear hinged doors, clear width x height [mm]	1,552 x 1,740
Max. number of seats	8 + 1
Clearance circle [m]	16.5

### MAN TGE Minibus Long with High roof

### MAN TGE Minibus Extra-long with High roof





Lateral sliding door, width x height [mm]	1,311 x 1,722
Rear hinged doors, clear width x height [mm]	1,552 x 1,740
Max. number of seats	18 + 1
Clearance circle [m]	16.5-17.0


Lateral sliding door, width x height [mm]	1,311 x 1,722
Rear hinged doors, clear width x height [mm]	1,552 x 1,740
Max. number of seats	18 + 1
Clearance circle [m]	16.5-17.0


Figures in brackets: with single tyres.

<sup>\*</sup>Height dimension excludes roof-mounted air conditioning system. This is an optional extra and varies depending on the manufacturer. All dimensions determined are using standard vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale.

#### MAN TGE Chassis Standard with Chassis cab

## MAN TGE Chassis Long with Chassis cab






Clearance circle [m]	13.9-14.2	Clearance circle [m]	16.5-17.0
Platform length [mm]	3.500	Platform length [mm]	4.300

Figures in brackets: with twin tyres.

Platform length is valid for vehicles with a platform ex works.

All dimensions were measured on series-production vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale.

## MAN TGE Chassis Extra-long with Chassis cab




Clearance circle [m]	16.5–17.0
Platform length [mm]	4.700


Platform length is valid for vehicles with a platform ex works.

All dimensions were measured on series-production vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale.

#### MAN TGE Chassis Standard with Crew cab

## MAN TGE Chassis Long with Crew cab





Clearance circle [m]	13.9-14.2 Clearance circle [m]	16.5–17.0
Platform length [mm]	2.700 Platform length [mm]	3.500

Figures in brackets: with twin tyres.

Platform length is valid for vehicles with a platform ex works.

All dimensions were measured on series-production vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale.